

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:856-786-5974
EMSL-CIN-01

EMSL Order ID: 012438862
LIMS Reference ID: AC38862
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 24-977 Pemberton Township
Schools/Pemberton ECEC

Customer PO: 040219
EMSL Sales Rep: Sheryl Steinmetz
Received: 12/04/2024 09:00
Reported: 01/10/2025 19:42

Analytical Results

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: ECCS1/Library Sink Lims Reference ID: AC38862-01 Matrix: Drinking Water Sampled: 12/04/24 05:05:00									
Metals									
Lead	ND		1	1.00	µg/L	12/05/24 15:32	12/09/24 16:18	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCS2/Room 200 Sink Lims Reference ID: AC38862-02 Matrix: Drinking Water Sampled: 12/04/24 05:10:00									
Metals									
Lead	1.76		1	1.00	µg/L	12/05/24 15:32	12/09/24 16:20	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCS3/Conference Room Sink Lims Reference ID: AC38862-03 Matrix: Drinking Water Sampled: 12/04/24 05:09:00									
Metals									
Lead	ND		1	1.00	µg/L	12/05/24 15:32	12/09/24 16:22	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCS4/Main Office Sink Lims Reference ID: AC38862-04 Matrix: Drinking Water Sampled: 12/04/24 05:08:00									
Metals									
Lead	2.07		1	1.00	µg/L	12/05/24 15:32	12/09/24 16:28	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCS5/Nurse Sink Lims Reference ID: AC38862-05 Matrix: Drinking Water Sampled: 12/04/24 05:17:00									
Metals									
Lead	ND		1	1.00	µg/L	12/05/24 15:32	12/09/24 16:30	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCS6/Nurse Sink Lims Reference ID: AC38862-06 Matrix: Drinking Water Sampled: 12/04/24 05:19:00									
Metals									
Lead	3.57		1	1.00	µg/L	12/05/24 15:32	12/09/24 16:32	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCS7/Nurse Sink Lims Reference ID: AC38862-07 Matrix: Drinking Water Sampled: 12/04/24 05:20:00									
Metals									
Lead	8.52		1	1.00	µg/L	12/05/24 15:32	12/09/24 16:34	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCS8/Kitchen Sink Lims Reference ID: AC38862-08 Matrix: Drinking Water Sampled: 12/04/24 05:22:00									
Metals									
Lead	ND		1	1.00	µg/L	12/05/24 15:32	12/09/24 16:35	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCS9/Kitchen Sink Lims Reference ID: AC38862-09 Matrix: Drinking Water Sampled: 12/04/24 05:24:00									
Metals									
Lead	ND		1	1.00	µg/L	12/05/24 15:32	12/09/24 16:37	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:856-786-5974
EMSL-CIN-01

EMSL Order ID: 012438862
LIMS Reference ID: AC38862
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 24-977 Pemberton Township
Schools/Pemberton ECEC

Customer PO: 040219
EMSL Sales Rep: Sheryl Steinmetz
Received: 12/04/2024 09:00
Reported: 01/10/2025 19:42

Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: ECCS10/Kitchen Sink Lims Reference ID: AC38862-10 Matrix: Drinking Water Sampled: 12/04/24 05:25:00									
Metals									
Lead	ND		1	1.00	µg/L	12/05/24 15:32	12/09/24 16:43	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCDF1/GMR Drinking Fountain Lims Reference ID: AC38862-11 Matrix: Drinking Water Sampled: 12/04/24 05:27:00									
Metals									
Lead	ND		1	1.00	µg/L	12/05/24 15:32	12/09/24 16:45	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCDF2/GMR Drinking Fountain Lims Reference ID: AC38862-12 Matrix: Drinking Water Sampled: 12/04/24 05:28:00									
Metals									
Lead	ND		1	1.00	µg/L	12/05/24 15:32	12/09/24 16:51	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCDF3/GMR Drinking Fountain Lims Reference ID: AC38862-13 Matrix: Drinking Water Sampled: 12/04/24 05:30:00									
Metals									
Lead	ND		1	1.00	µg/L	12/05/24 15:32	12/09/24 16:53	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCDF4/Vestibule by Gym Drinking Fountain Lims Reference ID: AC38862-14 Matrix: Drinking Water Sampled: 12/04/24 06:30:00									
Metals									
Lead	1.03		1	1.00	µg/L	12/05/24 15:32	12/09/24 16:55	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCDF5/Vestibule by Gym Drinking Fountain Lims Reference ID: AC38862-15 Matrix: Drinking Water Sampled: 12/04/24 06:31:00									
Metals									
Lead	1.17		1	1.00	µg/L	12/05/24 15:32	12/09/24 16:57	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCDF6/Vestibule Drinking Fountain Lims Reference ID: AC38862-16 Matrix: Drinking Water Sampled: 12/04/24 06:33:00									
Metals									
Lead	ND		1	1.00	µg/L	12/05/24 15:32	12/09/24 16:59	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCDF7/Vestibule Bottle Filler Lims Reference ID: AC38862-17 Matrix: Drinking Water Sampled: 12/04/24 06:34:00									
Metals									
Lead	ND		1	1.00	µg/L	12/05/24 15:32	12/09/24 17:01	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCC1/D1 Combo Sink Lims Reference ID: AC38862-18 Matrix: Drinking Water Sampled: 12/04/24 05:38:00									
Metals									
Lead	ND		1	1.00	µg/L	12/05/24 15:32	12/09/24 17:03	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax: 856-786-5974
EMSL-CIN-01

EMSL Order ID: 012438862
LIMS Reference ID: AC38862
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 24-977 Pemberton Township
Schools/Pemberton ECEC

Customer PO: 040219
EMSL Sales Rep: Sheryl Steinmetz
Received: 12/04/2024 09:00
Reported: 01/10/2025 19:42

Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
---------	--------	---	----	----	-------	-----------------------	-----------------------	---------------------	----------------------------

Sample: ECCC1/D1 Combo Sink (Continued) Lims Reference ID: AC38862-18 Matrix: Drinking Water Sampled: 12/04/24 05:38:00

Metals (Continued)

Sample: ECCC2/D3 Combo Sink Lims Reference ID: AC38862-19 Matrix: Drinking Water Sampled: 12/04/24 05:40:00

Metals

Lead	1.83	1	1.00	µg/L	12/05/24 15:33	12/11/24 14:13	PL	EPA 200.8 (DA)/EPA 200.8
------	------	---	------	------	----------------	----------------	----	--------------------------

Sample: ECCC3/D4 Combo Sink Lims Reference ID: AC38862-20 Matrix: Drinking Water Sampled: 12/04/24 05:42:00

Metals

Lead	1.71	1	1.00	µg/L	12/05/24 15:33	12/11/24 14:19	PL	EPA 200.8 (DA)/EPA 200.8
------	------	---	------	------	----------------	----------------	----	--------------------------

Sample: ECCC4/D6 Combo Sink Lims Reference ID: AC38862-21 Matrix: Drinking Water Sampled: 12/04/24 05:44:00

Metals

Lead	1.29	1	1.00	µg/L	12/05/24 15:33	12/11/24 14:21	PL	EPA 200.8 (DA)/EPA 200.8
------	------	---	------	------	----------------	----------------	----	--------------------------

Sample: ECCC5/D7 Combo Sink Lims Reference ID: AC38862-22 Matrix: Drinking Water Sampled: 12/04/24 05:46:00

Metals

Lead	1.18	1	1.00	µg/L	12/05/24 15:33	12/11/24 14:23	PL	EPA 200.8 (DA)/EPA 200.8
------	------	---	------	------	----------------	----------------	----	--------------------------

Sample: ECCC6/D9 Combo Sink Lims Reference ID: AC38862-23 Matrix: Drinking Water Sampled: 12/04/24 05:47:00

Metals

Lead	1.50	1	1.00	µg/L	12/05/24 15:33	12/11/24 14:24	PL	EPA 200.8 (DA)/EPA 200.8
------	------	---	------	------	----------------	----------------	----	--------------------------

Sample: ECCC7/D10 Combo Sink Lims Reference ID: AC38862-24 Matrix: Drinking Water Sampled: 12/04/24 05:49:00

Metals

Lead	1.42	1	1.00	µg/L	12/05/24 15:33	12/11/24 14:30	PL	EPA 200.8 (DA)/EPA 200.8
------	------	---	------	------	----------------	----------------	----	--------------------------

Sample: ECCC8/D12 Combo Sink Lims Reference ID: AC38862-25 Matrix: Drinking Water Sampled: 12/04/24 05:50:00

Metals

Lead	2.09	1	1.00	µg/L	12/05/24 15:33	12/11/24 14:32	PL	EPA 200.8 (DA)/EPA 200.8
------	------	---	------	------	----------------	----------------	----	--------------------------

Sample: ECCC9/A-1 Combo Sink Lims Reference ID: AC38862-26 Matrix: Drinking Water Sampled: 12/04/24 05:52:00

Metals

Lead	2.06	1	1.00	µg/L	12/05/24 15:33	12/11/24 14:34	PL	EPA 200.8 (DA)/EPA 200.8
------	------	---	------	------	----------------	----------------	----	--------------------------

Sample: ECCC10/A-3 Combo Sink Lims Reference ID: AC38862-27 Matrix: Drinking Water Sampled: 12/04/24 05:53:00

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:856-786-5974
EMSL-CIN-01

EMSL Order ID: 012438862
LIMS Reference ID: AC38862
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 24-977 Pemberton Township
Schools/Pemberton ECEC

Customer PO: 040219
EMSL Sales Rep: Sheryl Steinmetz
Received: 12/04/2024 09:00
Reported: 01/10/2025 19:42

Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: ECCC10/A-3 Combo Sink (Continued) Lims Reference ID: AC38862-27 Matrix: Drinking Water Sampled: 12/04/24 05:53:00									
Metals									
Lead	ND		1	1.00	µg/L	12/05/24 15:33	12/11/24 14:36	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCC11/A-4 Combo Sink Lims Reference ID: AC38862-28 Matrix: Drinking Water Sampled: 12/04/24 05:55:00									
Metals									
Lead	2.65		1	1.00	µg/L	12/05/24 15:33	12/11/24 14:38	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCC12/A-7 Combo Sink Lims Reference ID: AC38862-29 Matrix: Drinking Water Sampled: 12/04/24 05:57:00									
Metals									
Lead	3.32		1	1.00	µg/L	12/05/24 15:33	12/11/24 14:40	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCC13/A-8 Combo Sink Lims Reference ID: AC38862-30 Matrix: Drinking Water Sampled: 12/04/24 06:00:00									
Metals									
Lead	3.30		1	1.00	µg/L	12/05/24 15:33	12/11/24 14:46	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCC14/A-10 Combo Sink Lims Reference ID: AC38862-31 Matrix: Drinking Water Sampled: 12/04/24 06:01:00									
Metals									
Lead	4.58		1	1.00	µg/L	12/05/24 15:33	12/11/24 14:48	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCC15/A-11 Combo Sink Lims Reference ID: AC38862-32 Matrix: Drinking Water Sampled: 12/04/24 06:02:00									
Metals									
Lead	2.58		1	1.00	µg/L	12/05/24 15:33	12/11/24 14:54	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCC16/A-13 Combo Sink Lims Reference ID: AC38862-33 Matrix: Drinking Water Sampled: 12/04/24 06:03:00									
Metals									
Lead	2.39		1	1.00	µg/L	12/05/24 15:33	12/11/24 14:56	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCC18/A-16 Combo Sink Lims Reference ID: AC38862-34 Matrix: Drinking Water Sampled: 12/04/24 06:05:00									
Metals									
Lead	2.72		1	1.00	µg/L	12/05/24 15:33	12/11/24 14:58	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCC19/A-17 Combo Sink Lims Reference ID: AC38862-35 Matrix: Drinking Water Sampled: 12/04/24 06:10:00									
Metals									
Lead	2.12		1	1.00	µg/L	12/05/24 15:33	12/11/24 14:59	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax: 856-786-5974
EMSL-CIN-01

EMSL Order ID: 012438862
LIMS Reference ID: AC38862
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 24-977 Pemberton Township
Schools/Pemberton ECEC

Customer PO: 040219
EMSL Sales Rep: Sheryl Steinmetz
Received: 12/04/2024 09:00
Reported: 01/10/2025 19:42

Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: ECCC20/A-19 Combo Sink Lims Reference ID: AC38862-36 Matrix: Drinking Water Sampled: 12/04/24 06:12:00									
Metals									
Lead	2.94		1	1.00	µg/L	12/05/24 15:33	12/11/24 15:01	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCC21/B-1 Combo Sink Lims Reference ID: AC38862-37 Matrix: Drinking Water Sampled: 12/04/24 06:13:00									
Metals									
Lead	3.33		1	1.00	µg/L	12/05/24 15:33	12/11/24 15:03	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCC22/B-3 Combo Sink Lims Reference ID: AC38862-38 Matrix: Drinking Water Sampled: 12/04/24 06:15:00									
Metals									
Lead	25.2		1	1.00	µg/L	12/05/24 15:33	12/11/24 15:05	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCC23/B-4 Combo Sink Lims Reference ID: AC38862-39 Matrix: Drinking Water Sampled: 12/04/24 06:14:00									
Metals									
Lead	1.37		1	1.00	µg/L	12/05/24 15:35	12/11/24 15:25	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCC24/B-7 Combo Sink Lims Reference ID: AC38862-40 Matrix: Drinking Water Sampled: 12/04/24 06:16:00									
Metals									
Lead	2.88		1	1.00	µg/L	12/05/24 15:35	12/11/24 15:31	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCC25/B-8 Combo Sink Lims Reference ID: AC38862-41 Matrix: Drinking Water Sampled: 12/04/24 06:18:00									
Metals									
Lead	15.1		1	1.00	µg/L	12/05/24 15:35	12/11/24 15:33	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCC26/B-10 Combo Sink Lims Reference ID: AC38862-42 Matrix: Drinking Water Sampled: 12/04/24 06:20:00									
Metals									
Lead	1.94		1	1.00	µg/L	12/05/24 15:35	12/11/24 15:35	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCC27/B-11 Combo Sink Lims Reference ID: AC38862-43 Matrix: Drinking Water Sampled: 12/04/24 06:21:00									
Metals									
Lead	1.58		1	1.00	µg/L	12/05/24 15:35	12/11/24 15:37	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCC28/B-13 Combo Sink Lims Reference ID: AC38862-44 Matrix: Drinking Water Sampled: 12/04/24 06:22:00									
Metals									
Lead	2.26		1	1.00	µg/L	12/05/24 15:35	12/11/24 15:43	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:856-786-5974
EMSL-CIN-01

EMSL Order ID: 012438862
LIMS Reference ID: AC38862
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 24-977 Pemberton Township
Schools/Pemberton ECEC

Customer PO: 040219
EMSL Sales Rep: Sheryl Steinmetz
Received: 12/04/2024 09:00
Reported: 01/10/2025 19:42

Analytical Results (Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: ECCC29/B-14 Combo Sink Lims Reference ID: AC38862-45 Matrix: Drinking Water Sampled: 12/04/24 06:24:00									
Metals									
Lead	1.46		1	1.00	µg/L	12/05/24 15:35	12/11/24 15:45	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCC30/B-16 Combo Sink Lims Reference ID: AC38862-46 Matrix: Drinking Water Sampled: 12/04/24 06:26:00									
Metals									
Lead	1.64		1	1.00	µg/L	12/05/24 15:35	12/11/24 15:47	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCC31/B-17 Combo Sink Lims Reference ID: AC38862-47 Matrix: Drinking Water Sampled: 12/04/24 06:27:00									
Metals									
Lead	3.25		1	1.00	µg/L	12/05/24 15:35	12/11/24 15:49	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCC32/C-2 Combo Sink Lims Reference ID: AC38862-48 Matrix: Drinking Water Sampled: 12/04/24 06:38:00									
Metals									
Lead	ND		1	1.00	µg/L	12/05/24 15:35	12/11/24 15:51	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCC33/C-4 Combo Sink Lims Reference ID: AC38862-49 Matrix: Drinking Water Sampled: 12/04/24 06:40:00									
Metals									
Lead	2.02		1	1.00	µg/L	12/05/24 15:35	12/11/24 15:52	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCC34/C-5 Combo Sink Lims Reference ID: AC38862-50 Matrix: Drinking Water Sampled: 12/04/24 06:41:00									
Metals									
Lead	1.79		1	1.00	µg/L	12/05/24 15:35	12/11/24 15:58	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCC35/C-7 Combo Sink Lims Reference ID: AC38862-51 Matrix: Drinking Water Sampled: 12/04/24 06:43:00									
Metals									
Lead	1.62		1	1.00	µg/L	12/05/24 15:35	12/11/24 16:00	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCC36/C-13 Combo Sink Lims Reference ID: AC38862-52 Matrix: Drinking Water Sampled: 12/04/24 06:45:00									
Metals									
Lead	1.97		1	1.00	µg/L	12/06/24 15:10	12/09/24 14:17	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCC37/C-11 Combo Sink Lims Reference ID: AC38862-53 Matrix: Drinking Water Sampled: 12/04/24 06:54:00									
Metals									
Lead	3.03		1	1.00	µg/L	12/05/24 15:35	12/11/24 16:06	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:856-786-5974
EMSL-CIN-01

EMSL Order ID: 012438862
LIMS Reference ID: AC38862
EMSL Customer ID: TTIE54

Attention: Tim Popp
TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name: 24-977 Pemberton Township
Schools/Pemberton ECEC

Customer PO: 040219
EMSL Sales Rep: Sheryl Steinmetz
Received: 12/04/2024 09:00
Reported: 01/10/2025 19:42

Analytical Results

(Continued)

Analyte	Result	Q	DF	RL	Units	Prepared Date/Time	Analyzed Date/Time	Analyst Initials	Prep /Analytical Method
Sample: ECCC38/C-10 Combo Sink Lims Reference ID: AC38862-54 Matrix: Drinking Water Sampled: 12/04/24 06:51:00									
Metals									
Lead	7.50		1	1.00	µg/L	12/05/24 15:35	12/11/24 16:08	PL	EPA 200.8 (DA)/EPA 200.8
Sample: ECCC39/C-8 Combo Sink Lims Reference ID: AC38862-55 Matrix: Drinking Water Sampled: 12/04/24 06:49:00									
Metals									
Lead	1.57		1	1.00	µg/L	12/05/24 15:35	12/11/24 16:10	PL	EPA 200.8 (DA)/EPA 200.8
Sample: Field Blank/Field Blank Lims Reference ID: AC38862-56 Matrix: Drinking Water Sampled: 12/04/24 05:05:00									
Metals									
Lead	ND		1	1.00	µg/L	12/05/24 15:35	12/11/24 16:12	PL	EPA 200.8 (DA)/EPA 200.8

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax: 856-786-5974
EMSL-CIN-01

EMSL Order ID: 012438862**LIMS Reference ID:** AC38862**EMSL Customer ID:** TTIE54**Attention:** Tim Popp

TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name:

24-977 Pemberton Township
Schools/Pemberton ECEC

Customer PO:

040219

EMSL Sales Rep:

Sheryl Steinmetz

Received:

12/04/2024 09:00

Reported:

01/10/2025 19:42

Certified Analyses included in this Report

Analyte	Certifications
<i>EPA 200.8 in Drinking Water</i>	
Lead	NJDEP

List of Certifications

Code	Description	Number	Expires
PADEP	Pennsylvania Department of Environmental Protection	68-00367	11/30/2025
NYSDOH	New York State Department of Health	10872	04/01/2025
NJDEP	New Jersey Department of Environmental Protection	03036	06/30/2025
MADEP	Massachusetts Department of Environmental Protection	M-NJ337	06/30/2025
CTDPH	Connecticut Department of Public Health	PH-0270	06/23/2026
California ELAP	California Water Boards	1877	06/30/2025
AIHA LAP	EMSL Analytical, Inc. Cinnaminson, NJ AIHA-LAP, LLC-ELLAP Accredited	100194	01/01/2025
A2LA	A2LA Environmental Certificate	2845.01	07/31/2026

Please see the specific Field of Testing (FOT) on www.emsl.com <<http://www.emsl.com>> for a complete listing of parameters for which EMSL is certified.

**EMSL Analytical, Inc.**

200 Route 130, Cinnaminson, NJ, 08077
Telephone: 856-858-4800 Fax:856-786-5974
EMSL-CIN-01

EMSL Order ID: 012438862**LIMS Reference ID:** AC38862**EMSL Customer ID:** TTIE54**Attention:** Tim Popp

TTI Environmental Inc. [TTIE54]
1253 North Church Street
Moorestown, NJ 08057
(856) 840-8800
timp@ttienv.com

Project Name:

24-977 Pemberton Township
Schools/Pemberton ECEC

Customer PO:

040219

EMSL Sales Rep:

Sheryl Steinmetz

Received:

12/04/2024 09:00

Reported:

01/10/2025 19:42

Notes and Definitions

Item	Definition
(Dig)	For metals analysis, sample was digested.
[2C]	Reported from the second channel in dual column analysis.
DF	Dilution Factor
MDL	Method Detection Limit.
ND	Analyte was NOT DETECTED at or above the detection limit.
NR	Spike/Surrogate showed no recovery.
Q	Qualifier
RL	Reporting Limit
Wet	Sample is not dry weight corrected.

Measurement of uncertainty and any applicable definitions of method modifications are available upon request. Per EPA NLLAP policy, sample results are not blank corrected.

Owen McKenna Laboratory Manager or other approved signatory

EMSL maintains liability limited to cost of analysis. Interpretation and use of test results are the responsibility of the client. This report relates only to the samples reported above, and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. The report reflects the samples as received. Results are generated from the field sampling data (sampling volumes and areas, locations, etc.) provided by the client on the Chain of Custody. Samples are within quality control criteria and met method specifications unless otherwise noted.



1253 North Church Street, Moorestown, NJ 08057
856-840-8800 Fax 856-840-8815

4C38862

LEAD IN WATER SAMPLING DATA AND CHAIN OF CUSTODY

PROJECT #: 24-977		CLIENT: Pemberton Township BOE		FACILITY: P.E.C.E.C.		
PO #: 040219		SAMPLER(S): Mark Skats		DATE: 12/04/24		
ADDRESS: 100 Arneys Mt. Road, Pemberton, NJ 08068						
Sample ID	Location/Description	Time	Sample Type: Initial Flush (30sec / 15min)	Outlet Type:	Volume	Notes: Discolored, Odor, Low Flow, Etc...
1	ECCS1 Library	5:05	Initial	Sink	250mL	
2	ECCS2 Room 200	5:10	Initial	Sink	250mL	
3	ECCS3 Conference Room	5:09	Initial	Sink	250mL	Low Flow
4	ECCS4 Main Office	5:08	Initial	Sink	250mL	
5	ECCS5 Nurse	5:17	Initial	Sink	250mL	
6	ECCS6 Nurse	5:19	Initial	Sink	250mL	
7	ECCS7 Nurse	5:20	Initial	Sink	250mL	
8	ECCS8 /Kitchen	5:22	Initial	Sink	250mL	
9	ECCS9 Kitchen	5:24	Initial	Sink	250mL	
10	ECCS10 Kitchen	5:25	Initial	Sink	250mL	
11	ECCDF1 GMR	5:27	Initial	Drinking Fountain	250mL	
12	ECCDF2 GMR	5:28	Initial	Drinking Fountain	250mL	
13	ECCDF3 GMR	5:30	Initial	Drinking Fountain	250mL	
14	ECCDF4 Vestibule - by gym	6:30	Initial	Drinking Fountain	250mL	
15	ECCDF5 Vestibule - by gym	6:31	Initial	Drinking Fountain	250mL	
16	ECCDF6 Vestibule	6:33	Initial	Drinking Fountain	250mL	
17	ECCDF7 Vestibule	6:34	Initial	Drinking Fountain Bottle Filler	250mL	
18	ECCDF8 Vestibule	—	Initial	Drinking Fountain	250mL	Not Sampled
19	ECCDF9 Cafeteria	—	Initial	Drinking Fountain	250mL	Looked At



1253 North Church Street, Moorestown, NJ 08057
856-840-8800 Fax 856-840-8815

AC38862

LEAD IN WATER SAMPLING DATA AND CHAIN OF CUSTODY

PROJECT #: 24-977		CLIENT: Pemberton Township BOE		FACILITY: P.E.C.E.C.		
PO #: 040219		SAMPLER(S): Mark Shuts		DATE: 12/04/24		
ADDRESS: 100 Arneys Mt. Road, Pemberton, NJ 08068						
Sample ID	Location/Description	Time	Sample Type: Initial Flush (30sec / 15min)	Outlet Type:	Volume	Notes: Discolored, Odor, Low Flow, Etc...
20	ECCDF10 Cafeteria	—	Initial	Drinking Fountain	250mL	Cafeteria looked
21	ECCC1 D1	5:38	Initial	Combo Sink	250mL	
22	ECCC2 D3	5:40	Initial	Combo Sink	250mL	
23	ECCC3 D4	5:42	Initial	Combo Sink	250mL	
24	ECCC4 D6	5:44	Initial	Combo Sink	250mL	
25	ECCC5 D7	5:46	Initial	Combo Sink	250mL	
26	ECCC6 D9	5:47	Initial	Combo Sink	250mL	
27	ECCC7 D10	5:49	Initial	Combo Sink	250mL	
28	ECCC8 D12	5:50	Initial	Combo Sink	250mL	
29	ECCC9 A-1	5:52	Initial	Combo Sink	250mL	
30	ECCC10 A-3	5:53	Initial	Combo Sink	250mL	
31	ECCC11 A-4	5:55	Initial	Combo Sink	250mL	
32	ECCC12 A-7	5:57	Initial	Combo Sink	250mL	
33	ECCC13 A-8	6:00	Initial	Combo Sink	250mL	
34	ECCC14 A-10	6:01	Initial	Combo Sink	250mL	
35	ECCC15 A-11	6:02	Initial	Combo Sink	250mL	
36	ECCC16 A-13	6:03	Initial	Combo Sink	250mL	
37	ECCG17 A-14	6:04	Initial	Combo Sink	250mL	Service off not sampled
38	ECCC18 A-16	6:05	Initial	Combo Sink	250mL	



1253 North Church Street, Moorestown, NJ 08057
856-840-8800 Fax 856-840-8815

AC 38862

LEAD IN WATER SAMPLING DATA AND CHAIN OF CUSTODY

PROJECT #: 24-977		CLIENT: Pemberton Township BOE		FACILITY: P.E.C.E.C.		
PO #: 040219		SAMPLER(S): Mark Skets		DATE: 12/04/24		
ADDRESS: 100 Arneys Mt. Road, Pemberton, NJ 08068						
Sample ID	Location/Description	Time	Sample Type: Initial Flush (30sec / 15min)	Outlet Type:	Volume	Notes: Discolored, Odor, Low Flow, Etc...
39	ECCC19	A-17	6:10	Initial	Combo Sink	250mL
40	ECCC20	A-19	6:12	Initial	Combo Sink	250mL
41	ECCC21	B-1	6:13	Initial	Combo Sink	250mL
42	ECCC22	B-3	6:15	Initial	Combo Sink	250mL
43	ECCC23	B-4	6:14	Initial	Combo Sink	250mL
44	ECCC24	B-7	6:16	Initial	Combo Sink	250mL
45	ECCC25	B-8	6:18	Initial	Combo Sink	250mL
46	ECCC26	B-10	6:20	Initial	Combo Sink	250mL
47	ECCC27	B-11	6:21	Initial	Combo Sink	250mL
48	ECCC28	B-13	6:22	Initial	Combo Sink	250mL
49	ECCC29	B-14	6:24	Initial	Combo Sink	250mL
50	ECCC30	B-16	6:26	Initial	Combo Sink	250mL
51	ECCC31	B-17	6:27	Initial	Combo Sink	250mL
52	ECCC32	C-2	6:38	Initial	Combo Sink	250mL
53	ECCC33	C-4	6:40	Initial	Combo Sink	250mL
54	ECCC34	C-5	6:41	Initial	Combo Sink	250mL
55	ECCC35	C-7	6:43	Initial	Combo Sink	250mL
56	ECCC36	C-13	6:45	Initial	Combo Sink	250mL
57	ECCC37	C-11	6:51	Initial	Combo Sink	250mL



1253 North Church Street, Moorestown, NJ 08057
856-840-8800 Fax 856-840-8815

AC38862

LEAD IN WATER SAMPLING DATA AND CHAIN OF CUSTODY

[illegible]



1253 North Church Street, Moorestown, NJ 08057
856-840-8800 Fax 856-840-8815

4C38862

LEAD IN WATER SAMPLING DATA AND CHAIN OF CUSTODY

PROJECT #: 24-977		CLIENT: Pemberton Township BOE		FACILITY: P.E.C.E.C.		
PO #: 040219		SAMPLER(S): Mark Skits		DATE: 12/04/24		
ADDRESS: 100 Arneys Mt. Road, Pemberton, NJ 08068						
Sample ID	Location/Description	Time	Sample Type: Initial Flush (30sec / 15min)	Outlet Type:	Volume	Notes: Discolored, Odor, Low Flow, Etc...
1	ECCS1 Library	5:05	Initial	Sink	250mL	
2	ECCS2 Room 200	5:10	Initial	Sink	250mL	
3	ECCS3 Conference Room	5:09	Initial	Sink	250mL	Low Flow
4	ECCS4 Main Office	5:08	Initial	Sink	250mL	
5	ECCS5 Nurse	5:17	Initial	Sink	250mL	
6	ECCS6 Nurse	5:19	Initial	Sink	250mL	
7	ECCS7 Nurse	5:20	Initial	Sink	250mL	
8	ECCS8 /Kitchen	5:22	Initial	Sink	250mL	
9	ECCS9 Kitchen	5:24	Initial	Sink	250mL	
10	ECCS10 Kitchen	5:25	Initial	Sink	250mL	
11	ECCDF1 GMR	5:27	Initial	Drinking Fountain	250mL	
12	ECCDF2 GMR	5:28	Initial	Drinking Fountain	250mL	
13	ECCDF3 GMR	5:30	Initial	Drinking Fountain	250mL	
14	ECCDF4 Vestibule - by gym	6:30	Initial	Drinking Fountain	250mL	
15	ECCDF5 Vestibule - by gym	6:31	Initial	Drinking Fountain	250mL	
16	ECCDF6 Vestibule	6:33	Initial	Drinking Fountain	250mL	
17	ECCDF7 Vestibule	6:34	Initial	Drinking Fountain Bottle Filler	250mL	
18	ECCDF8 Vestibule	—	Initial	Drinking Fountain	250mL	Not Sampled
19	ECCDF9 Cafeteria	—	Initial	Drinking Fountain	250mL	Looked at I



1253 North Church Street, Moorestown, NJ 08057
856-840-8800 Fax 856-840-8815

AC38862

LEAD IN WATER SAMPLING DATA AND CHAIN OF CUSTODY

PROJECT #: 24-977		CLIENT: Pemberton Township BOE		FACILITY: P.E.C.E.C.		
PO #: 040219		SAMPLER(S): Mark Shuts		DATE: 12/04/24		
ADDRESS: 100 Arneys Mt. Road, Pemberton, NJ 08068						
Sample ID	Location/Description	Time	Sample Type: Initial Flush (30sec / 15min)	Outlet Type:	Volume	Notes: Discolored, Odor, Low Flow, Etc...
20	ECCDF10 Cafeteria	—	Initial	Drinking Fountain	250mL	Cafeteria looked
21	ECCC1 D1	5:38	Initial	Combo Sink	250mL	
22	ECCC2 D3	5:40	Initial	Combo Sink	250mL	
23	ECCC3 D4	5:42	Initial	Combo Sink	250mL	
24	ECCC4 D6	5:44	Initial	Combo Sink	250mL	
25	ECCC5 D7	5:46	Initial	Combo Sink	250mL	
26	ECCC6 D9	5:47	Initial	Combo Sink	250mL	
27	ECCC7 D10	5:49	Initial	Combo Sink	250mL	
28	ECCC8 D12	5:50	Initial	Combo Sink	250mL	
29	ECCC9 A-1	5:52	Initial	Combo Sink	250mL	
30	ECCC10 A-3	5:53	Initial	Combo Sink	250mL	
31	ECCC11 A-4	5:55	Initial	Combo Sink	250mL	
32	ECCC12 A-7	5:57	Initial	Combo Sink	250mL	
33	ECCC13 A-8	6:00	Initial	Combo Sink	250mL	
34	ECCC14 A-10	6:01	Initial	Combo Sink	250mL	
35	ECCC15 A-11	6:02	Initial	Combo Sink	250mL	
36	ECCC16 A-13	6:03	Initial	Combo Sink	250mL	
37	ECCG17 A-14	6:04	Initial	Combo Sink	250mL	Service off not sampled
38	ECCC18 A-16	6:05	Initial	Combo Sink	250mL	



1253 North Church Street, Moorestown, NJ 08057
856-840-8800 Fax 856-840-8815

AC 38862

LEAD IN WATER SAMPLING DATA AND CHAIN OF CUSTODY

PROJECT #: 24-977		CLIENT: Pemberton Township BOE		FACILITY: P.E.C.E.C.		
PO #: 040219		SAMPLER(S): Mark Skets		DATE: 12/04/24		
ADDRESS: 100 Arneys Mt. Road, Pemberton, NJ 08068						
Sample ID	Location/Description	Time	Sample Type: Initial Flush (30sec / 15min)	Outlet Type:	Volume	Notes: Discolored, Odor, Low Flow, Etc...
39	ECCC19	A-17	6:10	Initial	Combo Sink	250mL
40	ECCC20	A-19	6:12	Initial	Combo Sink	250mL
41	ECCC21	B-1	6:13	Initial	Combo Sink	250mL
42	ECCC22	B-3	6:15	Initial	Combo Sink	250mL
43	ECCC23	B-4	6:14	Initial	Combo Sink	250mL
44	ECCC24	B-7	6:16	Initial	Combo Sink	250mL
45	ECCC25	B-8	6:18	Initial	Combo Sink	250mL
46	ECCC26	B-10	6:20	Initial	Combo Sink	250mL
47	ECCC27	B-11	6:21	Initial	Combo Sink	250mL
48	ECCC28	B-13	6:22	Initial	Combo Sink	250mL
49	ECCC29	B-14	6:24	Initial	Combo Sink	250mL
50	ECCC30	B-16	6:26	Initial	Combo Sink	250mL
51	ECCC31	B-17	6:27	Initial	Combo Sink	250mL
52	ECCC32	C-2	6:38	Initial	Combo Sink	250mL
53	ECCC33	C-4	6:40	Initial	Combo Sink	250mL
54	ECCC34	C-5	6:41	Initial	Combo Sink	250mL
55	ECCC35	C-7	6:43	Initial	Combo Sink	250mL
56	ECCC36	C-13	6:45	Initial	Combo Sink	250mL
57	ECCC37	C-11	6:51	Initial	Combo Sink	250mL



1253 North Church Street, Moorestown, NJ 08057
856-840-8800 Fax 856-840-8815

AC38862

LEAD IN WATER SAMPLING DATA AND CHAIN OF CUSTODY

[illegible]